

When Business  
**Demands**  
The **Best**  
Performance



DW Pro 2 USB



## DW PRO 2 USB

DW Pro 2 USB is a double-sided premium wireless DECT headset for quality-conscious business professionals demanding exceptional performance and supreme comfort. Designed for all-day use, the DW Pro 2 USB connects directly to your soft-phone/PC to deliver excellent sound quality around the office. The iconic design of the DW Pro 2 USB puts it in a class of its own.

### Sound leadership

Featuring Sennheiser Voice Clarity and an ultra noise-canceling microphone, the DW Pro 2 USB gives users a natural listening experience while maximizing speech intelligibility for both speaker and listener. Advanced wideband audio and DSP (Digital Signal Processing) ensure clear, detailed sound for a better conversational experience in even very noisy working environments.

### Quality design

With its award-winning iconic design, the DW Pro 2 USB stands out for style and performance. From its distinctive base station, with simple set up and intuitive user interface to its fully adjustable headset equipped with soft ear pads, the DW Pro 2 USB is designed to both look good and provide exceptional all-day wearing comfort.

### User focus

DW Pro 2 USB is designed to maximize productivity and flexibility in busy offices with its long distance wireless range up to 180 m (590 ft) with line of sight and 55 m (180 ft) in a typical office environment. A DECT protected frequency band eliminates interference with WIFI networks and efficient encryption ensures secure conversations. Easy call management, convenient phone conferencing and hot desking offer maximum flexibility.

With 8 hours of wideband and 12 hours of narrowband for a full workday of talk time, the DW Pro 2 USB features intelligent fast charging, which delivers 50% in just 20 minutes. ActiveGard® provides protection from acoustic shock and a volume limiter guarantees a safe sound level at all times.

### Features and Benefits:

- Sennheiser Voice Clarity – wideband sound for natural listening experiences
- Connects seamlessly with your softphone/PC
- Ultra noise-canceling microphone for perfect speech clarity
- Digital Signal Processing for echo canceling and audio equalization
- UC optimized – for maximum productivity with leading UC platforms

- Iconic design – form and function combine for premium looks and performance
- High comfort – wearing style with extra soft ear pads
- Lightweight headset design for all-day comfort
- Simple product setup with DIP Switches
- Intuitive user interface with answer/end\*, microphone mute and volume +/-
- Full workday of talk time – 8 hours of wideband and 12 hours of narrowband
- Intelligent fast charging delivers 50% in just 20 minutes
- DECT protected frequency band without interference with WIFI networks
- Efficient encryption for secure conversations
- Long distance wireless range up to 180 m (590 ft) with line of sight – 55 m (180 ft) in typical office environment
- Hot desking with fast, secure pairing – simply dock in the base station
- Online phone conferences – intuitive and easy setup with up to 4 headsets with same base station
- ActiveGard® technology – hearing protection against acoustic shock


\* Answer/end call requires Sennheiser software for certain softphones

# Product Information

Product name	DW Pro 2 USB - EU	DW Pro 2 USB - UK	DW Pro 2 USB - US	DW Pro 2 USB - AUS
Order name	DW 30 USB – EU	DW 30 USB – UK	DW 30 USB – US	DW 30 USB – AUS
EAN No.	40 44155 05054 7	40 44155 05055 4	40 44155 05056 1	40 44155 05057 8
UPC No.	6 15104 17985 1	6 15104 17986 8	6 15104 17989 9	6 15104 17991 2
Art. No.	504320	504321	504322	504323
<b>Technical Data</b>				
DECT for EU, UK, AUS	DECT (1.880 to 1.900 MHz)			
DECT for US	DECT 6.0 (1.920 to 1.930 MHz)			
GAP compatible	Yes (Headset)			
Headset	Connects to base station			
Base Station	Connects to softphone			
Headset Auto Link to Base	Yes, can be activated on the base station			
Firmware requirement	For newest version please check Sennheiser Updater. Please check <a href="http://sennheiser.com/cco/software">sennheiser.com/cco/software</a>			
EHS (Electronic Hook Switch)	Yes (accessory – order EHS adapter separately)			
Mechanical Hook Lifter	HSL 10 (accessory – order separately)			
Softphone call control software	For PC software enabling call control please check <a href="http://sennheiser.com/cco/software">sennheiser.com/cco/software</a>			
UC compatible	Yes. For more information please refer to <a href="http://sennheiser.com/headsetcompatibility">sennheiser.com/headsetcompatibility</a>			
<b>Microphone</b>				
Frequency response Wideband Mode	150 Hz – 6.8 KHz			
Frequency response Narrowband Mode	300 Hz – 3.5 KHz			
Mute Microphone	Yes			
<b>Speaker</b>				
Speaker type	Neodymium Magnet Speaker			
Frequency response Wideband Mode	150 Hz – 6.8 KHz			
Frequency response Narrowband Mode	300 Hz – 3.5 KHz			
<b>General Data</b>				
Operational temperature range	+5 °C to + 45 °C (+41 °F to +113 °F)			
Storage temperature range	-20 °C to + 70 °C (-4 °F to +158 °F)			
Weight headset	85 g / 2.98 oz			
Ear pad size	50 mm / 1.96 in			
Battery (Lithium Polymer)	Exchangeable for service (see User manual)			
Personalization	Yes with nameplate on headset			
Range – line of sight	180 m / 590 ft			
Range – in typical office building	55 m / 180 ft			
Automatic power adjustment	Yes (distance between headset and base)			
Talk time in Wideband Mode	Up to 8 hours			
Talk time in Narrowband Mode	Up to 12 hours			
Stand by time	Up to 100 Hours			
Auto – headset OFF when out of range	Yes ➔ after 30 minutes			
Charge time 0 – 50%	20 minutes			
Charge time 0 – 100%	1 hour			
<b>Packaging</b>				
Package dimensions (H x W x D)	16.5 x 16 x 16 cm / 6.50 x 6.30 x 6.30 in			
Package weight	970 g / 33.95 oz			
Units in distributor master carton	8			
Master carton dimensions (H x W x D)	36 x 38 x 38 cm / 14.18 in x 14.97 in x 14.97 in			
Master carton weight	9.09 kg / 20.04 lb			
<b>Safety</b>				
Automatic Acoustic Shock Protection	YES ➔ ActiveGard®			
EU/AUS Limiter depending on regional variant	YES ➔ Activation by dip switch			
<b>Delivery content</b>				
<ul style="list-style-type: none"> <li>■ Headset</li> <li>■ Base Station</li> <li>■ USB cable</li> <li>■ Power supply</li> <li>■ Audio phone cable</li> <li>■ Printed Quick Guide</li> <li>■ CD with Setup Guide, User Guide, Quick Guide and name plate template</li> <li>■ Printed Safety Guide</li> </ul>				

## Product Information

<b>Accessories</b>				
	<b>Order name</b>	<b>Art. No</b>	<b>EAN No.</b>	<b>UPC No.</b>
<b>Spare earhook set</b>	EH set DW 10 F	504352	40 44155 050868	6 15104 18035 2
<b>EHS Avaya adapter</b>	CEHS-AV 01	504100	40 44155 047387	6 15104 17407 8
<b>EHS Avaya adapter</b>	CEHS-AV 03	504536	40 44155 081671	6 15104 23371 3
<b>EHS Snom adapter</b>	CEHS-SN 01	504101	40 44155 047394	6 15104 17408 5
<b>EHS Snom adapter</b>	CEHS-SN 02	504188	40 44155 074574	6 15104 22297 7
<b>EHS Alcatel adapter</b>	CEHS-AL 01	504102	40 44155 047400	6 15104 17422 1
<b>EHS Cisco adapter</b>	CEHS-CI 01	504103	40 44155 047417	6 15104 17423 8
<b>EHS Cisco adapter</b>	CEHS-CI 02	504533	40 44155 080230	6 15104 23183 2
<b>EHS Polycom adapter</b>	CEHS-PO 01	504104	40 44155 047424	6 15104 17424 5
<b>EHS DHSG adapter</b>	CEHS-DHSG	504105	40 44155 047431	6 15104 17425 2
<b>Headset charger</b>	CH 10	504366	40 44155 050998	6 15104 18053 6
<b>Spare HS Charger - USB</b>	CH 10 USB	504365	40 44155 051001	6 15104 18055 0
<b>Handset Lifter</b>	HSL 10	500712	40 44156 012384	6 15104 11795 2
<b>Interface box for AEI EHS</b>	TCI 01	500275	40 44156 001913	6 15104 10232 3
<b>Multi USB Power Source</b>	MCH 7	504348	40 44155 050820	6 15104 18030 7
<b>Single components</b>				
	<b>Order name</b>	<b>Art. No</b>	<b>EAN No.</b>	<b>UPC No.</b>
<b>Single headset of DW 30</b>	DW 30 HS	504326	40 44155 050608	6 15104 17998 1
<b>DW Base set for DW USB series</b>	DW BS USB - EU	504334	40 44155 050684	6 15104 18009 3
<b>DW Base set for DW USB series</b>	DW BS USB - UK	504335	40 44155 050691	6 15104 18010 9
<b>DW Base set for DW USB series</b>	DW BS USB - US	504336	40 44155 050707	6 15104 18011 6
<b>DW Base set for DW USB series</b>	DW BS USB - AUS	504337	40 44155 050714	6 15104 18012 3
NOTE: Headset and base station can be purchased separately. this allows a 2nd headset to be added to any DW Series base station or used as a spare. Base includes power supply and USB cable				
<b>Spare parts</b>				
	<b>Order name</b>	<b>Art. No</b>	<b>EAN No.</b>	<b>UPC No.</b>
<b>Power supply US</b>	UNI PS US 01	92893	40 12418 928933	6 15104 92893 0
<b>Power supply AUS</b>	UNI PS AUS 01	520334	40 44156 023083	6 15104 13459 1
<b>Power supply UK</b>	UNI PS UK 01	92892	40 12418 928926	6 15104 92892 3
<b>Power supply EU</b>	UNI PS EU 01	94707	40 12418 947071	6 15104 94707 8
<b>Spare battery</b>	DW BATT 03	504374	40 44155 051087	6 15104 18067 3
<b>Headband</b>	SHS 02 DW 10 spare	504344	40 44155 050783	6 15104 18024 6
<b>Earpad</b>	HZP 25 DW 10	504349	40 44155 050837	6 15104 18031 4
<b>Earhook bendable</b>	EH DW 10 B	504370	40 44155 051049	6 15104 18062 8
<b>Name plate set</b>	Name plate set, DW 10	504353	40 44155 050875	6 15104 18036 9
<b>Audio cable RJ 45 – RJ 9</b>	RJ 45 - RJ9 - DW	504364	40 44155 050981	6 15104 18052 9
<b>USB cable</b>	USB cable - DW	504363	40 44155 050974	6 15104 18051 2
<b>Fixation kit for Handset Lifter</b>	Fixation kit - HSL10	504032	40 44155 046984	6 15104 17342 2
<b>Type approvals</b>				
<b>Worldwide</b>	TCO '07			
<b>Europe</b>	EMC - EN 301489-6			
<b>CE</b>	RADIO - EN 301406			
	Safety - EN 60950-1			
	SAR (headset) - EN 50360 ref. EN 62209-1			
<b>USA:</b>	This product meets the safety requirements of CSA No. 231437			
<b>Approved by</b>				
<b>Canada:</b>	Industry Canada RSS 213 Issue 2 IC ID 2099 D-TDB1 (base station) IC ID 2099 D-TDH1 (headset)			
<b>USA:</b>	FCC 47 CFR Part 15 (d) FCC ID: DMOCDBDIB (base station) FCC ID: DMOCDHDKB (headset)			
<b>Australia</b>	AS/ACIF S004			



## Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets and speakerphones depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets and speakerphones, the combination of exceptional HD sound, quality design and build – and a focus on real life usability – give the best performance possible in busy offices, call centers and Unified Communications environments.

Please visit us at: [www.sennheiser.com/cco](http://www.sennheiser.com/cco)



Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and high-quality headsets for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets and speakerphones for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit:  
[www.sennheiser.com/cco](http://www.sennheiser.com/cco)

**Sennheiser Communications A/S**

Industriparken 27 · DK-2750 Ballerup · Denmark