

When Business
Demands
The **Best**
Performance



DW Office USB



Note: Neckband available as accessory

DW OFFICE USB

DW Office USB is a single-sided premium wireless DECT headset for quality-conscious business professionals demanding exceptional performance and supreme comfort. Designed for all-day use, the DW Office USB connects directly to your softphone/PC to deliver excellent sound quality around the office. The iconic design of the DW Office USB puts it in a class of its own.

Sound leadership

Featuring Sennheiser Voice Clarity and a noise-cancelling microphone, the DW Office USB gives users a natural listening experience while maximizing speech intelligibility for both speaker and listener. Advanced wideband audio and DSP (Digital Signal Processing) ensure clear, detailed sound for a better conversational experience in noisy working environments.

Quality design

With its award-winning iconic design, the DW Office USB stands out for style and performance. From its distinctive base station, with simple setup and intuitive user interface to its lightweight headset, the DW Office USB is designed to both look good and provide all-day wearing comfort.

User focus

DW Office USB is designed to maximize productivity and flexibility in busy offices with its long distance wireless range up to

180 m (590 ft) with line of sight and 55 m (180 ft) in a typical office environment. A DECT protected frequency band eliminates interference with WIFI networks and efficient encryption ensures secure conversations. Easy call management, convenient phone conferencing and hot desking offer maximum flexibility.

With 8 hours of wideband and 12 hours of narrowband for a full workday of talk time, the DW Office USB features intelligent fast charging, which delivers 50% in just 20 minutes. ActiveGard® provides protection against acoustic injury and a volume limiter guarantees a safe sound level at all times. The FlexFit™ wearing style system offers the choice between a headband, ear hook or neckband* solution for the perfect customized fit.

Features and Benefits:

- UC optimized – for maximum productivity with leading UC platforms
- Sennheiser Voice Clarity – wideband sound for natural listening experiences
- Connects seamlessly with your softphone/PC
- Noise-cancelling microphone – for speech clarity
- Digital Signal Processing for echo cancelling and audio equalization
- Iconic design – form and function combine for premium looks and performance

- Perfect customized fit – with the FlexFit™ system, offering 3 wearing style solutions. Choose between headband, ear hook or neckband*
- Lightweight headset design for all-day comfort
- Simple product setup with DIP Switches
- Intuitive user interface with answer/end**, microphone mute and volume +/-
- Full workday of talk time – 8 hours of wideband and 12 hours of narrowband
- Intelligent fast charging delivers 50% in just 20 minutes
- DECT protected frequency band without interference with WIFI networks
- Efficient encryption for secure conversations
- Long distance wireless range – up to 180 m (590 ft) with line of sight – 55 m (180 ft) in typical office environment
- Hot desking with fast, secure pairing – simply dock in the base station
- Online phone conferences – intuitive and easy setup of up to 4 headsets with same base station
- ActiveGard® technology – protects users against acoustic injury caused by sudden sound burst on the line
- Two years warranty for peace of mind

* Neckband available as accessory

** Answer/end call requires Sennheiser software for certain softphones


Product Information

Product name	DW Office USB - EU	DW Office USB - UK	DW Office USB - US	DW Office USB - AUS
Order name	DW 10 USB – EU	DW 10 USB – UK	DW 10 USB – US	DW 10 USB – AUS
EAN No.	40 44155 05046 2	40 44155 05047 9	40 44155 05048 6	40 44155 05049 3
UPC No.	6 15104 17967 7	6 15104 17969 1	6 15104 17972 1	6 15104 17974 5
Art. No.	504312	504313	504314	504315
Product description	Wireless DECT headset (single-sided) with base station for softphone; convertible (headband or ear hook)			
Technical Data				
DECT for EU, UK, AUS	DECT (1.880 to 1.900 MHz)			
DECT for US	DECT 6.0 (1.920 to 1.930 MHz)			
GAP compatible	Yes (Headset)			
Headset	Connects to base station			
Base Station	Connects to softphone			
Headset Auto Link to Base	Yes, can be activated on the base station			
Firmware requirement	For newest version please check Sennheiser Updater. Please refer to sennheiser.com/cc0/software			
EHS (Electronic Hook Switch)	Yes (accessory – order EHS adapter separately)			
Mechanical Hook Lifter	HSL 1.0 (accessory – order separately)			
Microphone				
Frequency response Wideband Mode	150 Hz – 6.8 KHz			
Frequency response Narrowband Mode	300 Hz – 3.5 KHz			
Mute Microphone	Yes			
Speaker				
Speaker type	Neodymium Magnet Speaker			
Frequency response Wideband Mode	150 Hz – 6.8 KHz			
Frequency response Narrowband Mode	300 Hz – 3.5 KHz			
General Data				
Operational temperature range	+5 °C to + 45 °C (+41 °F to +113 °F)			
Storage temperature range	-20 °C to + 70 °C (-4 °F to +158 °F)			
Weight, ear hook version	24 g / 0.86 oz			
Weight, headband version	50 g / 1.76 oz			
Ear pad size	50 mm / 1.96 in			
Battery (Lithium Polymer)	Exchangeable for service (see User manual)			
Personalization	Yes with nameplate on headset			
Range – line of sight	180 m / 590 ft			
Range – in typical office building	55 m / 180 ft			
Automatic power adjustment	Yes (distance between headset and base)			
Talk time in Wideband Mode	Up to 8 hours			
Talk time in Narrowband Mode	Up to 12 hours			
Stand by time	Up to 100 Hours			
Auto – headset OFF when out of range	Yes ⇒ after 30 minutes			
Charge time 0 – 50%	20 minutes			
Charge time 0 – 100%	1 hour			
Packaging				
Package dimensions (H x W x D)	16.5 cm x 16 cm x 16 cm			
Package weight	940 g / 32.9 oz			
Units in distributor master carton	8			
Master carton dimensions (H x W x D)	36 x 38 x 38 cm / 14.18 x 14.97 x 14.97 in			
Master carton weight	8.85 kg / 19.51 lb			
Safety				
Automatic Acoustic Shock Protection	YES ⇒ ActiveGard®			
EU/AUS Limiter depending on regional variant	YES ⇒ Activation by dip switch			
Delivery content				
<ul style="list-style-type: none"> ■ Headset (with name plate for ear hook and distance holder) ■ Base Station ■ Power supply ■ USB cable ■ Headband (detachable) ■ 1 ear hook adapter with pre-mounted ear hook with leatherette sleeve and earbud size S ■ Extra earbuds size M and L ■ Name plate holder for headband and name plate instruction ■ Printed Quick Guide ■ Printed Safety Guide 				

Product Information

Accessories				
	Order name	Art. No	EAN No.	UPC No.
Headset charger	CH 10	504366	40 44155 050998	6 15104 18053 6
Neckband*	NB 20	506525	40 44155 209044	6 15104 27272 9
Spare HS Charger - USB	CH 10 USB	504365	40 44155 051001	6 15104 18055 0
Handset Lifter	HSL 10	500712	40 44156 012384	6 15104 11795 2
Interface box for AEI EHS	TCI 01	500275	40 44156 001913	6 15104 10232 3
Multi USB Power Source	MCH 7	504348	40 44155 050820	6 15104 18030 7
Single components				
	Order name	Art. No	EAN No.	UPC No.
Single headset of DW 10	DW 10 HS	504324	40 44155 050585	6 15104 17992 9
DW Base set for DW USB series	DW BS USB - EU	504334	40 44155 050684	6 15104 18009 3
DW Base set for DW USB series	DW BS USB - UK	504335	40 44155 050691	6 15104 18010 9
DW Base set for DW USB series	DW BS USB - US	504336	40 44155 050707	6 15104 18011 6
DW Base set for DW USB series	DW BS USB - AUS	504337	40 44155 050714	6 15104 18012 3
Note: Headset and base station can be purchased separately. This allows a 2nd headset to be added to any DW Series base station or used as a spare. Base includes power supply and USB cable.				
Spare parts				
	Order name	Art. No	EAN No.	UPC No.
Power supply US	UNI PS US 01	92893	40 12418 928933	6 15104 92893 0
Power supply AUS	UNI PS AUS 01	520334	40 44156 023083	6 15104 13459 1
Power supply UK	UNI PS UK 01	92892	40 12418 928926	6 15104 92892 3
Power supply EU	UNI PS EU 01	94707	40 12418 947071	6 15104 94707 8
Spare battery	DW BATT 03	504374	40 44155 051087	6 15104 18067 3
Headband	SHS 02 DW 10 spare	504344	40 44155 050783	6 15104 18024 6
Earpad	HZP 25 DW 10	504349	40 44155 050837	6 15104 18031 4
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L)	HSA 20	506524	40 44155 209037	6 15104 27271 2
Ear hook with leatherette sleeve and earbuds (size S, M, L)	EH 20	506523	40 44155 209020	6 15104 27270 5
Name plate set	Name plate set, DW 10	504353	40 44155 050875	6 15104 18036 9
USB cable	USB cable - DW	504363	40 44155 050974	6 15104 18051 2
Type approvals				
Worldwide	TCO '07			
Europe	EMC - EN 301489-6			
CE	RADIO - EN 301406			
	Safety - EN 60950-1			
	SAR (headset) - EN 50360 ref. EN 62209-1			
USA:	This product meets the safety requirements of CSA No. 231437			
Approved by				
Canada:	Industry Canada RSS 213 Issue 2 IC ID 2099 D-TDB1 (base station) IC ID 2099 D-TDH1 (headset)			
USA:	FCC 47 CFR Part 15 (d) FCC ID: DMOCDBDIB (base station) FCC ID: DMOCDHDKB (headset)			
Australia	AS/ACIF S004			

* Requires the click-on adapter provided with DW Office products with FlexFit™ system or the HSA 20 accessory set



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets and speakerphones depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets and speakerphones, the combination of exceptional HD sound, quality design and build – and a focus on real life usability – give the best performance possible in busy offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco



Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and high-quality headsets for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets and speakerphones for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit:
www.sennheiser.com/cco

Sennheiser Communications A/S

Industriparken 27 · DK-2750 Ballerup · Denmark